Formally Verified Autonomous Hybrid Control

Dane A. Sabo dane.sabo@pitt.edu

Dr. Daniel G. Cole dgcole@pitt.edu

University of Pittsburgh

November 29, 2025






The United States stands on the precipice of a severe energy crises

Electricity consumption at U.S. data centers is expected to more than double by 2030

Total electricity consumption by U.S. data centers (terawatt-hours)




Source: Pew Research Center, Data from IEA

How much baseload power increase is this?



The United States stands on the precipice of a severe energy crises



Source: Pew Research Center, Data from IEA


How much baseload power increase is this?



30 gigawatts!




The United States stands on the precipice of a severe energy crises




Source: Pew Research Center, Data from IEA

How much baseload power increase is this?



30 gigawatts!





How many reactor operators are required to staff this new fleet?




For one Small Modular Reactor (SMR)...

One shift requires:













2 Reactor Operators



How many reactor operators are required to staff this new fleet?



For one Small Modular Reactor (SMR)...

24/7 operations require \sim 6 shifts:



24 licensed operators per reactor

How many reactor operators are required to staff this new fleet?



For one Small Modular Reactor (SMR)...

24/7 operations require \sim 6 shifts:



24 licensed operators per reactor

To meet demand we require 2,400 new licensed operators!

How many reactor operators are required to staff this new fleet?



For one Small Modular Reactor (SMR)...

24/7 operations require \sim 6 shifts:



24 licensed operators per reactor


To meet demand we require 2,400 new licensed operators!

We currently have only 3,600 licensed operators total...


Nuclear reactors are operated with prescriptive handbooks



Human reactor operators have key limitations that limit nuclear buildout



Human reactor operators have key limitations that limit nuclear buildout



Human reactor operators have key limitations that limit nuclear buildout

Humans cannot meet labor demand




Procedures are not exhaustively verified





Human factors cannot be trained away












- Translate written procedures into discrete control logic
- Verify continuous control behavior across discrete mode transitions

If this research is successful, we will be able to do the following:


- Translate written procedures into discrete control logic
- 2 Verify continuous control behavior across discrete mode transitions
- 3 Demonstrate autonomous reactor startup with verifiable safety guarantees




First, we will formalize written procedures into logical statements



Second, we will use the logical formulae to generate discrete automata



Finally, we will build continuous controllers to move between discrete states



Verified autonomous controllers can be created by building this chain of proof of correctness

